

DESIGN GUIDE 10

Bolted moment end plate beam splice connections

by

T.J. Hogan

contributing author

N. van der Kreek

first edition—2009



AUSTRALIAN STEEL INSTITUTE
(ABN)/ACN (94) 000 973 839

Design Guide 10
Bolted moment end plate beam splice connections

Copyright © 2009 by AUSTRALIAN STEEL INSTITUTE

Published by: AUSTRALIAN STEEL INSTITUTE

All rights reserved. This book or any part thereof must not be reproduced in any form without the written permission of Australian Steel Institute.

Note to commercial software developers: Copyright of the information contained within this publication is held by Australian Steel Institute (ASI). Written permission must be obtained from ASI for the use of any information contained herein which is subsequently used in any commercially available software package.

FIRST EDITION 2009 (LIMIT STATES)

National Library of Australia Cataloguing-in-Publication entry:

Hogan, T.J.

Design Guide 10: Bolted moment end plate beam splice connections

1st ed.

Bibliography.

ISBN 978 1 921476 10 5 (pbk.).

ISBN 978 1 921476 11 2 (pdf.).

1. Steel, Structural—Standards – Australia.
2. Steel, Structural—Specifications – Australia.
3. Joints, (Engineering)—Design and construction.
 - I. van der Kreek, N.
 - II. Australian Steel Institute.
 - III. Title

(Series: Structural steel connection series).

This publication originated as part of
Design of structural connections
First edition 1978
Second edition 1981
Third edition 1988
Fourth edition 1994

Also in this series:

Handbook 1: Design of structural steel connections

Design Guide 1: Bolting in structural steel connections

Design Guide 2: Welding in structural steel connections

Design Guide 3: Web side plate connections

Design Guide 4: Flexible end plate connections

Design Guide 5: Angle cleat connections

Design Guide 6: Seated connections

Design Guide 11: Welded beam to column moment connections

Design Guide 12: Bolted end plate beam to column moment connections

Design Guide 13: Splice connections

Disclaimer: The information presented by the Australian Steel Institute in this publication has been prepared for general information only and does not in any way constitute recommendations or professional advice. While every effort has been made and all reasonable care taken to ensure the accuracy of the information contained in this publication, this information should not be used or relied upon for any specific application without investigation and verification as to its accuracy, suitability and applicability by a competent professional person in this regard. The Australian Steel Institute, its officers and employees and the authors of this publication do not give any warranties or make any representations in relation to the information provided herein and to the extent permitted by law (a) will not be held liable or responsible in any way; and (b) expressly disclaim any liability or responsibility for any loss or damage costs or expenses incurred in connection with this publication by any person, whether that person is the purchaser of this publication or not. Without limitation, this includes loss, damage, costs and expenses incurred as a result of the negligence of the authors, editors or publishers.

The information in this publication should not be relied upon as a substitute for independent due diligence, professional or legal advice and in this regards the services of a competent professional person or persons should be sought.



CONTENTS

	<i>Page</i>		<i>Page</i>
List of figures	iv	9.5 DESIGN CHECK NO. 5—Design capacity of bolts in shear	26
List of tables	v	9.6 DESIGN CHECK NO. 6—Design capacity of end plate at tension flange	27
Preface	vi	9.7 DESIGN CHECK NO. 7—Design capacity of end plate in shear	31
About the author	vii	9.8 DESIGN CHECK NO. 8—Design requirements for stiffener to end plate	32
About the contributing author	vii	9.9 DESIGN CHECK NO. 9—Design capacity of stiffener welds to end plate	33
Acknowledgements	viii	10 DESIGN EXAMPLES	34
1 CONCEPT OF DESIGN GUIDES.....	1	10.1 Design example No. 1—Four bolt unstiffened end plate beam splice	34
1.1 Background	1	10.2 Design example No. 2—Four bolt stiffened apex connection	37
2 DESCRIPTION OF CONNECTION	2	11 REFERENCES.....	41
3 TYPICAL DETAILING OF CONNECTION..	4	12 DESIGN CAPACITY TABLES	42
4 DETAILING CONSIDERATIONS.....	6	12.1 Four bolt unstiffened end plate	43
5 AS 4100 REQUIREMENTS	8	12.2 Four bolt stiffened end plate	45
6 BASIS OF DESIGN MODEL.....	9	12.3 Six bolt unstiffened end plate	47
7 CALCULATION OF DESIGN ACTIONS ...	11	12.4 Eight bolt stiffened end plate	49
8 RECOMMENDED DESIGN MODEL— SUMMARY OF DESIGN CHECKS	17	APPENDICES	
9 RECOMMENDED DESIGN MODEL.....	20	A Thick and thin end plate behaviour	50
9.1 DESIGN CHECK NO. 1—Detailing requirements	20	B Limcon software	52
9.2 DESIGN CHECK NO. 2—Design capacity of welds to beam flanges	22	C ASI Design Guide 10 comment form	59
9.3 DESIGN CHECK NO. 3—Design capacity of welds to beam web	23		
9.4 DESIGN CHECK NO. 4—Design capacity of bolts at tension flange	25		



LIST OF FIGURES

	<i>Page</i>	<i>Page</i>	
Figure 1	Bolted moment end plate beam splice connection 2	Figure 15	Notation used for 6 bolt (2/4) unstiffened end plate 19
Figure 2	Forms of extended bolted end plate connection 3	Figure 16	Notation used for 8 bolt (2/6) unstiffened end plate 19
Figure 3	Typical detailing for unstiffened variations of extended bolted moment end plate 4	Figure 17	Clearance dimensions a_f , a_e , s_{po}21
Figure 4	Typical detailing for stiffened variations of extended bolted moment end plate 5	Figure 18	End plate stiffener detailing21
Figure 5	Shims used between end plates 6	Figure 19	Flange weld design actions22
Figure 6	Clearance required for tensioning bolts 7	Figure 20	Web weld design actions24
Figure 7	Design actions at connection 11	Figure 21	Yield line pattern 4 bolt (2/2) unstiffened end plate27
Figure 8	Calculation of flange force due to bending moment and axial force—Horizontal beam 12	Figure 22	Yield line pattern 4 bolt (2/2) stiffened end plate28
Figure 9	Calculation of force components—Apex connection 13	Figure 23	Yield line pattern 6 bolt (2/4) unstiffened end plate29
Figure 10	Calculation of force components—Mitred knee connection 14	Figure 24	Yield line pattern 8 bolt (2/6) unstiffened end plate29
Figure 11	Alternative stress distributions in beam 15	Figure 25	Yield line pattern 8 bolt (4/4) stiffened end plate30
Figure 12	Notation used for 4 bolt (2/2) unstiffened end plate 18	Figure 26	Beam splice example no. 134
Figure 13	Notation used for 4 bolt (2/2) stiffened end plate 18	Figure 27	Stress distribution in beam of example no. 135
Figure 14	Notation used for 8 bolt (4/4) stiffened end plate 18	Figure 28	Apex end plate example no. 237
		Figure 29	Stress distribution in rafter for example no. 238
		Figure 30	Stiffener detailing example no. 240
		Figure 31	End plate behaviour idealisation.....50



LIST OF TABLES

		<i>Page</i>			<i>Page</i>
Table 1	Range of tested parameters (Ref. 6)	10	Table 9	Design moment capacity of connection ϕM_{conn} —Four bolt stiffened end plate M20 bolts 8.8/TB category threads excluded from shear plane—Universal beam sections > 200 mm deep	46
Table 2	Equations to be applied for different configurations and connection elements	16	Table 10	Design moment capacity of connection ϕM_{conn} —Six bolt unstiffened end plate M24 bolts 8.8/TB category threads excluded from shear plane—Welded beam/Universal beam sections > 450 mm deep	47
Table 3	Recommended limits on detailing parameters	20	Table 11	Design moment capacity of connection ϕM_{conn} —Six bolt unstiffened end plate M20 bolts 8.8/TB category threads excluded from shear plane—Universal beam sections > 350 mm deep	48
Table 4	Strength of plate to AS 3678 Grade 250	28	Table 12	Design moment capacity of connection ϕM_{conn} —Eight bolt stiffened end plate M24 bolts 8.8/TB category threads excluded from shear plane—Welded beam and universal beam sections > 520 mm deep	49
Table 5	Strength of flat bars to AS 3679.1 Grade 300	32			
Table 6	Design moment capacity of connection ϕM_{conn} —Four bolt unstiffened end plate M24 bolts 8.8/TB category threads excluded from shear plane—Welded beam/Universal beam sections > 300 mm deep	43			
Table 7	Design moment capacity of connection ϕM_{conn} —Four bolt unstiffened end plate M20 bolts 8.8/TB category threads excluded from shear plane—Universal beam sections > 200 mm deep	44			
Table 8	Design moment capacity of connection ϕM_{conn} —Four bolt stiffened end plate M24 bolts 8.8/TB category threads excluded from shear plane—Welded beam/Universal beam sections > 300 mm deep	45			



PREFACE

This new series of connection publications by the Australian Institute of Steel (ASI) covering capacity tables, theory and design of individual rigid connections will be known as the Structural Steel Connections Series, Part 2: 1st ed. 2009 (*Connection Series, Part 2*). This Connection Series, Part 2 details the method of design and provides capacity tables and detailing parameters for a range of rigid connections commonly used for structural steel in Australia. Connections have a major engineering and economic importance in steel structures influencing design, detailing, fabrication and erection costs. Standardisation of design approach integrated with industry detailing is the key to minimum costs at each stage. This Connections Series, Part 2 in conjunction with the Connection Series, Part 1 for simple connections (collectively the Structural Steel Connections Series or *Connection Series*) replaces and enhances an ASI flagship publication first released in 1978 at which time connection design theories were developed for the purpose of generating and releasing connection capacity tables. The first three editions were released in permissible stress format. The fourth edition *Design of Structural Connections* (often referred to as the Green Book) was released in 1994 in limit state format but there was no subsequent release of a limit state companion document containing connection design capacity tables.

This Design Guide is intended to provide a recommended design model for the extended bolted moment end plate connection as used for:

- beam splices;
- apex connections in portal frames;
- mitred knee connection in portal frames.

The recommended design model is based extensively on the American Institute of Steel Construction Steel Design Guide 4 *Extended end-plate moment connections, seismic and wind applications*, Second Edition, and Steel Design Guide 16 *Flush and extended multiple-row moment end-plate connections*.

The new Connections Series format with separate design guides for individual connection types is intended to facilitate addition to or revision of connection model theory using relevant new local or international research as deemed appropriate by the ASI. Connection models developed using the Handbook 1 theory follow a stylised page format with a numbered DESIGN CHECK procedure to simplify connection capacity assessment.

Engineering Systems has worked closely with the Australian Steel Institute to further develop Limcon as the companion program for this new Connection Design Guide Series. The latest version of Limcon fully implements the new connection design models and it was employed in checking the design tables. The Limcon output for the worked examples is included in an appendix to each Design Guide. The program is an efficient tool covering the full range of structural connections, including those beyond the scope of the Design Guide capacity tables.

An appendix to each Design Guide also contains an ASI comment form. Users of this publication are encouraged to photocopy this one page form and forward any suggested improvements which may be incorporated into future editions.

T.J. Hogan

N. van der Kreek



ABOUT THE AUTHOR

Tim Hogan is Consultant to and retired Director of SCP Consulting Pty Ltd. His academic achievements include a Bachelor of Engineering from the University of NSW with 1st Class Honours and the University Medal. Post graduate qualifications include a Master of Engineering Science and a Master of Business Administration. Tim is a Member of the Institution of Engineers Australia with CPEng and FIE Aust. status.

His early experience was on bridge design and construction with the NSW Public Works Department and subsequently as Development Engineer and then Engineering Manager with the Australian Institute of Steel Construction until 1980. Consulting experience with SCP Consulting since 1980 has included design and supervision of large steel framed buildings, industrial buildings, mill buildings, retail developments, defense infrastructure and composite steel-concrete buildings. His published works deal primarily with the areas of composite construction, steel connections, fabrication and erection of steel structures and he was a major contributor and editor of the Commentary to AS 4100. He is a member of a number of Standards Australia Committees dealing with steel and composite structures and is currently Chairman of Committee BD-001 Steel Structures and BD-032 Composite Construction. He received an award from Standards Australia for his contributions to writing of Australian Standards.

ABOUT THE CONTRIBUTING AUTHOR

Nick van der Kreek is OneSteel Manufacturing's Technical Development Manager and has held various technical and marketing roles during his 22 years with OneSteel (BHP Steel prior to 2000). Nick's activities included engineering development and design support associated with composite and steel framed building solutions—either of a generic nature or specific designs for many notable Australian multi-storey buildings. Nick is the principal author of the OneSteel composite software.

Nick has a BE from the University of Queensland and a Graduate Diploma in Computing from the University of Melbourne.



ACKNOWLEDGEMENTS

The author would like to extend special thanks to:

The ASI Connections steering committee consisting of Richard Collins (Engineering Systems), Nick van der Kreek and Anthony Ng (OneSteel Market Mills), Arun Syam (Australian Tube Mills) for their respective contributions with the development and review of the technical and editorial content of the revised ASI Connection Manual.

Significant contributions were made by:

- Richard Collins—Engineering Systems in the development and upgrade of the Limcon software code in parallel with the design theory and aiding in the editing and validation of the revised models.
- Biometrical Data Processing for technical typesetting expertise.
- Whizzcad Pty Ltd with drafting and graphics for publishing.
- ASI State Engineering & Construction special Sub-Committees for progressive engineering and industry review of manuscripts.

Together with support of:

- All facets of the ASI membership including design engineers, steelwork detailers and fabricators in contributing industry best practice and standards through ASI surveys and direct consultation to establish the theory and geometry in this new ASI Connection Manual.

